


CONTOUR®DIABETES APP SHOWN TO HELP REDUCE LIKELIHOOD OF HYPOGLYCEMIC EVENTS




LIKELIHOOD
OF HAVING
A HYPOGLYCEMIC
EVENT AFTER 180
DAYS OF METER
AND APP USE

28%
LOWER



THAN THE LIKELIHOOD OF
HAVING A HYPOGLYCEMIC
EVENT IN THE FIRST 30 DAYS


STUDY INCLUDED
11,341 PEOPLE WITH DIABETES
3,905 FROM THE UK
7,436 FROM GERMANY



**FREQUENCY OF HYPOGLYCEMIA
WAS MEASURED
IN THE FIRST 30 DAYS
AND AFTER 180 DAYS**



**HYPOGLYCEMIC
EVENTS
DEFINED AS
≤50 MG/DL / ≤ 2.8 MMOL/L**



Reference: Stuhr, A. and Pardo, S., Changes in Blood Glucose Excursions After at Least 180 Days Real World Use of the CONTOUR®NEXT ONE Blood Glucose Monitor System and CONTOUR®DIABETES app. Poster presented at the International Conference on Advanced Technologies and Treatments for Diabetes, Berlin, Germany, 2019

Ascensia, the Ascensia Diabetes Care logo, and Contour are trademarks and/or registered trademarks of Ascensia Diabetes Care Holdings AG.

© Copyright 2019. Ascensia Diabetes Care Holdings AG. All rights reserved.